

## **Media Report 10 Sept 2021**

This weeks media reports will cover and answer great questions veterans are still asking such as Frequently asked questions regarding COVID-19 in Ottawa. Due to ongoing and evolving COVID-19 pandemic callers may experience increased wait times when calling the Government of Canada Pension Center. Callers may also experience dropped calls, as all telecommunication networks across Canada are presently facing capacity challenges. and local Media Articles and An illness or injury can have an impact on your ability to adjust to life after service. We all need healthcare services. The Treatment benefits program provides coverage for a variety of benefits and services to help you get—and stay healthy. Have you made an application for disability benefits from Veterans Affairs Canada and received a decision? If you disagree with that decision, you have the right to review or appel

### **Vaccine doses administered**

53,967,775

Fully vaccinated

76.57%

Received at least one dose

83.67%

## **Chapter 11 – Dental and Oral Impairment**

---

•

## Introduction

This chapter provides criteria for assessing permanent impairment from entitled gingiva conditions, loss of teeth, temporomandibular joint dysfunction and loss of function of the mandible and/or maxilla.

Veterans Affairs Canada does not consider loss of teeth to be an assessable disability as the wearing of dentures or a prosthesis will restore an individual's ability to masticate. An assessment will be awarded for all entitled loss of teeth conditions regardless of the cause. Bruxism is also assessed at nil.

In complex cases where both a temporomandibular joint condition and a condition of the mandible and/or maxilla are entitled, a rating will be determined on individual merits.

No additional rating is taken from [Chapter 14](#), Gastrointestinal Impairment, for entitled temporomandibular joint conditions or mandible and/or maxilla conditions.

No additional rating is taken from [Chapter 22](#), Skin Impairment for disfigurement due to an entitled condition of the mandible and/or maxilla.

Impairment from malignant dental and oral conditions is rated within [Chapter 18](#), Malignant Impairment. Follow the steps contained within the Malignant Impairment chapter.

## Rating Tables

This chapter contains four "Loss of Function" tables and one "Other Impairment" table which may be used to rate entitled dental and oral conditions.

The tables within this chapter are:

Rating Tables

| <b>TABLE</b>               | <b>LOSS OF FUNCTION</b>                                      | <b>OTHER IMPAIRMENT</b>  |
|----------------------------|--|--|
| <a href="#">Table 11.1</a> | Loss of Function – Gingiva and Loss of Teeth                 | This table is used to establish a rating of <b>nil</b> for impairment from <b>all</b> gingiva conditions, bruxism and loss of teeth. |
| <a href="#">Table 11.2</a> | Loss of Function – Temporomandibular Joint                   | This table is used to rate impairment from temporomandibular joint function.   |
| <a href="#">Table 11.3</a> | Other Impairment – Temporomandibular Resting Joint Pain      | This table is used to rate impairment from resting pain in the temporomandibular joint.  |
| <a href="#">Table 11.4</a> | Loss of Function – Mandible and Maxilla                      | This table is used to rate impairment from mandible and/or maxilla function.   |
| <a href="#">Table 11.5</a> | Loss of Function – Disfigurement of the Mandible and Maxilla | This table is used to rate impairment from disfigurement of the mandible and/or maxilla.   |

## **Loss of Function – Gingiva and Loss of Teeth**

[Table 11.1](#) is used to rate impairment of gingiva conditions, bruxism and loss of teeth. These conditions are assessed at nil.

When entitled gingiva conditions, bruxism and loss of teeth result in permanent impairment of other organ systems, a consequential entitlement decision is required. If awarded, the resulting impairment of that organ system(s) will be rated using the applicable body system specific table(s).

## **Loss of Function – Temporomandibular Joint**

[Table 11.2](#) is used to rate impairment of temporomandibular joint conditions. Only one rating may be selected. If more than one rating is applicable, the ratings are compared and the highest selected.

When entitled temporomandibular joint conditions result in permanent impairment of other organ systems, a consequential entitlement decision is required. If awarded, the resulting impairment of that organ system(s) will be rated using the applicable body system specific table(s).

If non-entitled conditions or conditions rated within another chapter/table of the Table of Disabilities are contributing to the overall impairment, then the Partially Contributing Table (PCT) must be applied to arrive at the rating which is due to the entitled condition(s) rated within this table.

## **Other Impairment – Temporomandibular Resting Joint Pain**

[Table 11.3](#) is used to rate impairment from joint pain that is persistent and unrelenting in the temporomandibular joint(s) when at rest. Only one rating may be selected. If more than one rating is applicable, the ratings are compared and the highest selected. Any applicable rating from this table must be added to the loss of function rating from [Table 11.2](#).

## **Loss of Function – Mandible and Maxilla**

[Table 11.4](#) is used to rate impairment from entitled conditions of the mandible and/or maxilla. Two ratings may be initially selected from [Table 11.4](#), one rating applicable to the loss of function of the mandible and one rating applicable to the loss of function of the maxilla. The ratings for the two individual areas are compared and the highest selected.

When entitled mandible and/or maxilla conditions result in permanent impairment of other organ systems, a consequential entitlement decision is required. If awarded, the resulting impairment of that organ system(s) will be rated using the applicable body system specific table(s).

If non-entitled conditions or conditions rated within another chapter/table of the Table of Disabilities are contributing to the overall impairment, then the Partially Contributing Table (PCT) must be applied to arrive at the rating which is due to the entitled condition(s) rated within this table.

## Loss of Function – Disfigurement of the Mandible and Maxilla

Table 11.5 is used to rate impairment from disfigurement of the mandible and/or maxilla. Two ratings may be initially selected from Table 11.5, one rating applicable to the disfigurement of the mandible and one rating applicable to the disfigurement of the maxilla. The ratings for the two individual areas are compared and the highest selected.

Any applicable rating from this table must be added to the loss of function rating from Table 11.4.

## Table 11.1 – Loss of Function – Gingiva and Loss of Teeth

An assessment will be given from Table 11.1 for all gingiva conditions, bruxism and loss of teeth regardless of whether the teeth can be replaced by prosthetics or not.

Each bullet (•) represents one criterion. In order for a rating to be established for Table 11.1, only one criterion must be met at a level of impairment for that rating to be selected.

Table 11.1 – Loss of Function – Gingiva and Loss of Teeth

| RATING | CRITERIA  |
|--------|---|
| Nil    | <ul style="list-style-type: none"> <li>• Loss of teeth or dental surfaces which <b>can or cannot</b> be replaced by prosthetics; <b>or</b></li> <li>• Chronic periodontitis; <b>or</b></li> <li>• Trench mouth (Vincent's angina) or chronic gingivitis; <b>or</b></li> <li>• Bruxism.</li> </ul> |

## Table 11.2 – Loss of Function – Temporomandibular Joint

Only one rating may be given from Table 11.2 for each entitled condition. If more than one rating is applicable for an entitled condition, the ratings are compared and the highest selected.

Each bullet (•) represents one criterion. In order for a rating to be established for Table 11.2, follow the "ands" and "ors".

Table 11.2 – Loss of Function – Temporomandibular Joint

| RATING | CRITERIA   |
|--------|--|
| Nil    | <ul style="list-style-type: none"> <li>• Occasional clicking in one or both temporomandibular joints with yawning, talking and chewing; <b>and</b></li> <li>• Inter-incisal range unrestricted.</li> </ul>   |
| Four   | <ul style="list-style-type: none"> <li>• Frequent to constant pain and discomfort in one or both temporomandibular joints on jaw opening relieved with analgesia, heat and cold applications or other therapeutic measures; <b>or</b></li> <li>• Permanent avoidance of some solid foods such as apples or corn may be necessary due to symptoms.</li> </ul> |

|          |   |
|----------|---|
| Nine     | <ul style="list-style-type: none"> <li>• Permanent soft diet may be required due to temporomandibular conditions;<b>or</b></li> </ul>   |
| Thirteen | <ul style="list-style-type: none"> <li>• Inter-incisal range is reduced to 27 mm or less.</li> <li>• Requires permanent purée or liquid diet;<b>or</b></li> <li>• Inter-incisal range is reduced to 20 mm or less.</li> </ul> |

**Table 11.3 – Other Impairment – Temporomandibular Resting Joint Pain**

Only one rating may be given from Table 11.3 regardless of whether the entitled condition involves one or both joints.

Each bullet (•) represents one criterion. In order for a rating to be established for Table 11.3, all criteria designated at that rating level must be met.

Table 11.3 – Other Impairment – Temporomandibular Resting Joint Pain

| <b>RATING</b> | <b>CRITERIA</b>  |
|---------------|--|
| Nil           | <ul style="list-style-type: none"> <li>• Pain in the temporomandibular joint(s) that is not present at rest.</li> </ul>  |
| Two           | <ul style="list-style-type: none"> <li>• Persistent, unrelenting <b>resting</b> pain in the temporomandibular joint(s) that is present during the night, every night but does not prevent sleep.</li> </ul>  |
| Four          | <ul style="list-style-type: none"> <li>• Persistent, unrelenting <b>resting</b> pain in the temporomandibular joint(s) that is present during the night, every night, and disturbs sleep several times every night, but which improves with and responds to medication or other therapeutic measures.</li> </ul>   |
| Nine          | <ul style="list-style-type: none"> <li>• Severe, persistent, unrelenting <b>resting</b> pain in the temporomandibular joint(s) that is present during the night, every night, and disturbs sleep several times during the night, does not respond adequately to medication or other therapeutic measures. May have sought advice from, or attended, a pain management clinic.</li> </ul>   |
| Thirteen      | <ul style="list-style-type: none"> <li>• Severe, persistent, unrelenting <b>resting</b> pain in the temporomandibular joint(s) that is present during the night, every night, causes more wakeful periods than rest, and which does not respond adequately to medication or other therapeutic measures. Has attended a pain management clinic and is on extensive pain management regime. Pain, however, remains poorly controlled despite all interventions.</li> </ul> |

**Table 11.4 – Loss of Function – Mandible and Maxilla**

Two ratings may be initially given from Table 11.4, one rating applicable to the loss of function of the mandible and one rating applicable to the loss of function of the maxilla. The ratings for the two individual areas are compared and the highest selected.

Each bullet (•) represents one criterion. In order for a rating to be established for either the mandible or the maxilla area for Table 11.4, only one criterion must be met at a level of impairment for that rating to be selected.

Table 11.4 – Loss of Function – Mandible and Maxilla

| <b>RATING</b> | <b>CRITERIA</b>  |
|---------------|--|
| Nil           | <b>MAXILLAIRE</b>  |
|               | <ul style="list-style-type: none"> <li>• No difficulty with chewing and inter-incisal range unrestricted.</li> </ul>   |
| Four          | <b>MANDIBULE</b>   |
|               | <ul style="list-style-type: none"> <li>• No difficulty with chewing and inter-incisal range unrestricted.</li> </ul>   |
|               | <b>MAXILLAIRE</b>  |
|               | <ul style="list-style-type: none"> <li>• Frequent to constant pain relieved by analgesics or other therapeutic measures;<b>or</b></li> <li>• Permanent avoidance of some solid foods such as apples or corn due to symptoms may be necessary.</li> </ul> |
| Nine          | <b>MANDIBULE</b>   |
|               | <ul style="list-style-type: none"> <li>• Frequent to constant pain relieved by analgesics or other therapeutic measures;<b>or</b></li> <li>• Permanent avoidance of some solid foods such as apples or corn due to symptoms may be necessary.</li> </ul> |
|               | <b>MAXILLAIRE</b>  |
|               | <ul style="list-style-type: none"> <li>• Permanent soft diet required;<b>or</b></li> <li>• Inter-incisal range reduced to 27 mm or less.</li> </ul>  |
| Thirteen      | <b>MANDIBULE</b>   |
|               | <ul style="list-style-type: none"> <li>• Permanent soft diet required;<b>or</b></li> <li>• Inter-incisal range reduced to 27 mm or less.</li> </ul>  |
|               | <b>MAXILLAIRE</b>  |
|               | <ul style="list-style-type: none"> <li>• Permanent purée or liquid diet;<b>or</b></li> <li>• Inter-incisal range reduced to 20 mm or less.</li> </ul>  |
| Thirteen      | <b>MANDIBULE</b>   |
|               | <ul style="list-style-type: none"> <li>• Permanent purée or liquid diet;<b>or</b></li> <li>• Inter-incisal range reduced to 20 mm or less.</li> </ul>  |

**Table 11.5 – Loss of Function – Disfigurement of the Mandible and Maxilla**

Two ratings may be initially given from Table 11.5, one rating applicable to the loss of function of the mandible and one rating applicable to disfigurement of the mandible and one rating applicable to disfigurement of the maxilla. The ratings for the two individual areas are compared and the highest selected.

Each bullet (•) represents one criterion. In order for a rating to be established for either the mandible or the maxilla area for Table 11.5, all criteria designated at that rating level must be met.

Table 11.5 – Loss of Function – Disfigurement of the Mandible and Maxilla

| <b>RATING</b> | <b>CRITERIA</b>   |
|---------------|---|
| Nil           | <b>MAXILLA</b>  |
|               | <ul style="list-style-type: none"> <li>• No disfigurement.</li> </ul> |

|      |                         |
|------|-------------------------|
|      | <b>MANDIBLE</b>         |
|      | • No disfigurement.     |
|      | <b>MAXILLA</b>          |
| Four | • Mild disfigurement.   |
|      | <b>MANDIBLE</b>         |
|      | • Mild disfigurement.   |
|      | <b>MAXILLA</b>          |
| Nine | • Severe disfigurement. |
|      | <b>MANDIBLE</b>         |
|      | • Severe disfigurement. |

### Steps to Determine the Dental and Oral Impairment Assessment

- Step 1:Determine the rating from [Table 11.1](#)(Loss of Function – Gingiva Conditions, Bruxism and Loss of Teeth).

The Medical impairment rating for entitled gingiva conditions, bruxism and loss of teeth is always NIL.

This is the Disability Assessment for for gingiva conditions, bruxism and loss of teeth.

- Step 2:Determine the rating from [Table 11.2](#)(Loss of Function – Temporomandibular Joint). Only one rating is applicable from [Table 11.2](#) regardless if the condition is unilateral or bilateral.
- Step 3:Does the Partially Contributing Table apply? If yes, apply to rating at Step 2.
- Step 4:Determine the rating from [Table 11.3](#)(Other Impairment – Temporomandibular Joint – Resting Joint Pain). Only one rating is applicable from [Table 11.3](#) regardless if the condition is unilateral or bilateral.
- Step 5:Add the ratings at Step 3 and Step 4.
- Step 6:Determine the Quality of Life rating.
- Step 7:Add the ratings at Step 5 and Step 6.
- Step 8:If partial entitlement exists, then apply to the rating at Step 7.

This is the Disability Assessment for temporomandibular joint conditions.

- Step 9:Determine the rating from [Table 11.4](#)(Loss of Function – Mandible and Maxilla). Only one rating is applicable from [Table 11.4](#) regardless if the condition is unilateral or bilateral. If more than one rating is applicable, the ratings are compared and the highest selected.
- Step 10:Determine the rating from [Table 11.5](#)(Loss of Function – Disfigurement of Mandible and Maxilla). Only one rating is applicable from [Table 11.4](#) regardless if the condition is unilateral or bilateral. If more than one rating is applicable, the ratings are compared and the highest selected.
- Step 11:Add the ratings at Step 9 and Step 10 if applicable.

- Step 12: Does the Partially Contributing Table apply? If yes, then apply to rating at Step 11.
- Step 13: Determine the Quality of Life rating.
- Step 14: Add the ratings at Step 12 and Step 13.
- Step 15: If partial entitlement exists, apply to rating at Step 14.

This is the Disability Assessment for mandible and maxilla conditions.

## STAY IN TOUCH WITH THESE CF NEWSPAPERS

| <b>Base/Wing — Newspaper</b>                     |   |
|--|---|
| 14 Wing Greenwood — <a href="#">The Aurora</a>   | 17 Wing Winnipeg — <a href="#">The Voxair</a>       |
| 22 Wing North Bay — <a href="#">The Shield</a>   | CFB Halifax — <a href="#">The Trident</a>           |
| 4 Wing Cold Lake — <a href="#">The Courier</a>   | CFB Edmonton — <a href="#">The Western Sentinel</a> |
| CFB Esquimalt — <a href="#">The Lookout</a>      | CFB Valcartier — <a href="#">The Adsum</a>          |
| CFSU Ottawa — <a href="#">The Guard</a>          | CFB Kingston — <a href="#">Garrison News</a>        |
| CFB Shilo — <a href="#">The Shilo Stag</a>       | CFB St Jean — <a href="#">The Servir</a>            |
| 19 Wing Comox — <a href="#">The Totem Times</a>  | 3 Wing Bagotville — <a href="#">The Vortex</a>      |
| 8 Wing Trenton — <a href="#">The Contact</a>     | CFB Borden — <a href="#">The Citizen</a>            |
| CFB Petawawa — <a href="#">The Petawawa Post</a> |   |

## IN THE NEWS

[The Québec Citadel reveals chapters of its history during construction](#)

- [Fresh new look for museum reflects history and future at 22 Wing](#)
- [Saint-Jean Garrison: Large building for physical activity to open this fall](#)
- [Prairie protection motivates projects at Dundurn](#)

[Election Resource Centre](#)

[Operation LENTUS, Military on the ground, in the air, in support of wildfire firefighting](#)

[Des militaires iront combattre les incendies de forêt](#)

[Thomas Creek wildfire near Okanagan Falls sees lower fire activity, crews focus on spot fire](#)



[Royal Canadian Legion Branch 76 \(Qualicum Beach\) manager, Richard Paugh, retires after 21 years](#)

[Canadian troops issued new machine-guns that are defective; weapons returned to Colt Canada](#)

[La Ville de Québec prête à fournir toute l'eau potable de la base militaire de Valcartier](#)

[Race your virtual Canada Army Run distance Sept. 10 to Sept. 19](#)

[Vermont town celebrates 200 years of floating bridge](#)

[Army-2021: Rostec presents Listva remote mine clearance vehicle](#)