

Media Report 28 Oct 2022

This week's media reports will cover and answer great questions veterans are still asking and local Media Articles and An illness or injury can have an impact on your ability to adjust to life after service. We all need healthcare services. The Treatment benefits program provides coverage for a variety of benefits and services to help you get—and stay healthy.

Dear colleagues,

Every year, in the lead up to Remembrance Day, we mark Veterans' Week

from November 5 to 11 ■ As Canadians, we have a duty to remember and honour the sacrifices of all those who have served our country in times of war, military conflict and peace.

This year's theme, "Service, courage and sacrifice—at home, around the world and across generations," encompasses the range of Canada's military experience. For more than a century, Canada's diverse population of Veterans have served in many operations, from the battlefields around the world to disaster response efforts here at home.

Let's express our gratitude and inspire our colleagues, friends and families to take an active role in remembrance. You may work directly with a Veteran – be sure to take the time to thank them and get to know their story during Veterans' Week.

Get involved on social media using #CanadaRemembers, and share your thoughts on who you are remembering and honouring this Veterans' Week.

To help you out, we've created a one-stop shop for all things related to Veterans' Week and Remembrance Day: veterans.gc.ca/CanadaRemembers.

As always, wear your poppy with pride, and encourage your family, friends and colleagues to take the time to remember this November.

Together, let's show how #CanadaRemembers.

Sincerely,

Paul Thomson

Director General, Commemoration

Veterans Affairs Canada

Faith McIntyre

Director General, Communications

Veterans Affairs Canada

Chers collègues,

Chaque année, lors de la période qui précède le jour du Souvenir, nous soulignons la Semaine des vétérans du 5 au 11 novembre. En tant que Canadiens, nous avons le devoir de nous souvenir des sacrifices de toutes les personnes qui ont servi notre pays en temps de guerre, de conflit militaire et de paix, et de leur rendre hommage.

Le thème de cette année, « Service, courage et sacrifice – au pays, partout dans le monde et d'une génération à l'autre » englobe l'ensemble de l'expérience militaire du Canada. Depuis plus d'un siècle, la population diversifiée de vétérans du Canada a servi dans de nombreuses opérations, des champs de bataille du monde entier aux efforts d'intervention en cas de catastrophe ici au pays.

Exprimons notre gratitude et incitons nos amis et nos familles à jouer un rôle actif dans la commémoration. Peut-être travaillez-vous directement avec un vétéran – assurez-vous de prendre le temps de le remercier et de connaître son histoire pendant la Semaine des vétérans.

Mobilisez-vous sur les médias sociaux en utilisant #LeCanadaSeSouvient, et partagez vos réflexions sur les personnes dont vous vous souvenez et à qui vous rendez hommage en cette Semaine des vétérans.

Pour vous aider, nous avons créé un guichet unique pour tout ce qui concerne la Semaine des vétérans et le jour du Souvenir : veterans.gc.ca/leCanadaSeSouvient.

Comme toujours, portez votre coquelicot avec fierté et encouragez votre famille, vos amis et vos collègues à prendre le temps de se souvenir ce mois de novembre.

Ensemble, montrons que #LeCanadaSeSouvient.

Sincères salutations,

Paul Thomson

Directeur général, Commémoration

Anciens Combattants Canada

Faith McIntyre

Directrice générale, Communications

Anciens Combattants Canada

Dental and Oral Impairment

- [Steps to Determine the Dental and Oral Impairment Assessment](#)

Introduction

This chapter provides criteria for assessing permanent impairment from entitled gingiva conditions, loss of teeth, temporomandibular joint dysfunction and loss of function of the mandible and/or maxilla.

Veterans Affairs Canada does not consider loss of teeth to be an assessable disability as the wearing of dentures or a prosthesis will restore an individual's ability to masticate.

A nil assessment will be awarded for all entitled loss of teeth conditions regardless of the cause. Bruxism is also assessed at nil.

In complex cases where both a temporomandibular joint condition and a condition of the mandible and/or maxilla are entitled, a rating will be determined on individual merits.

No additional rating is taken from [Chapter 14](#), Gastrointestinal Impairment, for entitled temporomandibular joint conditions or mandible and/or maxilla conditions.

No additional rating is taken from [Chapter 22](#), Skin Impairment for disfigurement due to an entitled condition of the mandible and/or maxilla.

Impairment from malignant dental and oral conditions is rated within [Chapter 18](#), Malignant Impairment. Follow the steps contained within the Malignant Impairment chapter.

Rating Tables

This chapter contains four "Loss of Function" tables and one "Other Impairment" table which may be used to rate entitled dental and oral conditions.

The tables within this chapter are:

Rating Tables

Table	Loss of Function	Other Impairment
Table 11.1	Loss of Function - Gingiva and Loss of Teeth	This table is used to establish a rating of nil for impairment from all gingiva conditions, bruxism and loss of teeth.
Table 11.2	Loss of Function - Temporomandibular Joint	This table is used to rate impairment from temporomandibular joint function.
Table 11.3	Other Impairment - Temporomandibular Resting Joint Pain	This table is used to rate impairment from resting pain in the temporomandibular joint.
Table 11.4	Loss of Function - Mandible and Maxilla	This table is used to rate impairment from mandible and/or maxilla function.
Table 11.5	Loss of Function - Disfigurement of the Mandible and Maxilla	This table is used to rate impairment from disfigurement of the mandible and/or maxilla.

Loss of Function - Gingiva and Loss of Teeth

[Table 11.1](#) is used to rate impairment of gingiva conditions, bruxism and loss of teeth. These conditions are assessed at nil.

When entitled gingiva conditions, bruxism and loss of teeth result in permanent impairment of other organ systems, a consequential entitlement decision is required. If awarded, the resulting impairment of that organ system(s) will be rated using the applicable body system specific table(s).

Loss of Function - Temporomandibular Joint

[Table 11.2](#) is used to rate impairment of temporomandibular joint conditions. Only one rating may be selected. If more than one rating is applicable, the ratings are compared and the highest selected.

When entitled temporomandibular joint conditions result in permanent impairment of other organ systems, a consequential entitlement decision is required. If awarded, the resulting impairment of that organ system(s) will be rated using the applicable body system specific table(s).

If non-entitled conditions or conditions rated within another chapter/table of the Table of Disabilities are contributing to the overall impairment, then the Partially Contributing Table (PCT) must be applied to arrive at the rating which is due to the entitled condition(s) rated within this table.

Other Impairment - Temporomandibular Resting Joint Pain

[Table 11.3](#) is used to rate impairment from joint pain that is persistent and unrelenting in the temporomandibular joint(s) when at rest. Only one rating may be selected. If more than one

rating is applicable, the ratings are compared and the highest selected. Any applicable rating from this table must be added to the loss of function rating from [Table 11.2](#).

Loss of Function - Mandible and Maxilla

[Table 11.4](#) is used to rate impairment from entitled conditions of the mandible and/or maxilla. Two ratings may be initially selected from [Table 11.4](#), one rating applicable to the loss of function of the mandible and one rating applicable to the loss of function of the maxilla. The ratings for the two individual areas are compared and the highest selected.

When entitled mandible and/or maxilla conditions result in permanent impairment of other organ systems, a consequential entitlement decision is required. If awarded, the resulting impairment of that organ system(s) will be rated using the applicable body system specific table(s).

If non-entitled conditions or conditions rated within another chapter/table of the Table of Disabilities are contributing to the overall impairment, then the Partially Contributing Table (PCT) must be applied to arrive at the rating which is due to the entitled condition(s) rated within this table.

Loss of Function - Disfigurement of the Mandible and Maxilla

[Table 11.5](#) is used to rate impairment from disfigurement of the mandible and/or maxilla. Two ratings may be initially selected from [Table 11.5](#), one rating applicable to the disfigurement of the mandible and one rating applicable to the disfigurement of the maxilla. The ratings for the two individual areas are compared and the highest selected.

Any applicable rating from this table must be added to the loss of function rating from [Table 11.4](#).

Table 11.1 - Loss of Function - Gingiva and Loss of Teeth

A nil assessment will be given from Table 11.1 for all gingiva conditions, bruxism and loss of teeth regardless of whether the teeth can be replaced by prosthetics or not.

Each bullet (*) represents one criterion. In order for a rating to be established for Table 11.1, only one criterion must be met at a level of impairment for that rating to be selected.

Table 11.1 - Loss of Function - Gingiva and Loss of Teeth

Rating	Criteria
Nil	<ul style="list-style-type: none">• Loss of teeth or dental surfaces which can or cannot be replaced by prosthetics; or• Chronic periodontitis; or• Trench mouth (Vincent's angina) or chronic gingivitis; or• Bruxism.

Table 11.2 - Loss of Function - Temporomandibular Joint

Only one rating may be given from Table 11.2 for each entitled condition. If more than one rating is applicable for an entitled condition, the ratings are compared and the highest selected.

Each bullet (•) represents one criterion. In order for a rating to be established for Table 11.2, follow the "ands" and "ors".

Table 11.2 - Loss of Function - Temporomandibular Joint

Rating	Criteria
Nil	<ul style="list-style-type: none"> Occasional clicking in one or both temporomandibular joints with yawning, talking and chewing; and Inter-incisal range unrestricted.
Four	<ul style="list-style-type: none"> Frequent to constant pain and discomfort in one or both temporomandibular joints on jaw opening relieved with analgesia, heat and cold applications or other therapeutic measures; or Permanent avoidance of some solid foods such as apples or corn may be necessary due to symptoms.
Nine	<ul style="list-style-type: none"> Permanent soft diet may be required due to temporomandibular conditions; or Inter-incisal range is reduced to 27 mm or less.
Thirteen	<ul style="list-style-type: none"> Requires permanent purée or liquid diet; or Inter-incisal range is reduced to 20 mm or less.

Table 11.3 - Other Impairment - Temporomandibular Resting Joint Pain

Only one rating may be given from Table 11.3 regardless of whether the entitled condition involves one or both joints.

Each bullet (•) represents one criterion. In order for a rating to be established for Table 11.3, all criteria designated at that rating level must be met.

Table 11.3 - Other Impairment - Temporomandibular Resting Joint Pain

Rating	Criteria
Nil	<ul style="list-style-type: none"> Pain in the temporomandibular joint(s) that is not present at rest.
Two	<ul style="list-style-type: none"> Persistent, unrelenting resting pain in the temporomandibular joint(s) that is present during the night, every night but does not prevent sleep.
Four	<ul style="list-style-type: none"> Persistent, unrelenting resting pain in the temporomandibular joint(s) that is present during the night, every night, and disturbs sleep several times every night, but which improves with and responds to medication or other therapeutic measures.
Nine	<ul style="list-style-type: none"> Severe, persistent, unrelenting resting pain in the temporomandibular joint(s) that is present during the night, every night, and disturbs sleep several times during the night, does not respond adequately to medication or other therapeutic measures. May have sought advice from, or attended, a pain management clinic.
Thirteen	<ul style="list-style-type: none"> Severe, persistent, unrelenting resting pain in the temporomandibular joint(s) that is present during the night, every night, causes more wakeful periods than rest, and which does not respond adequately to medication or other therapeutic measures. Has attended a pain management clinic and is on extensive pain management regime. Pain, however, remains poorly controlled despite all interventions.

Table 11.4 - Loss of Function - Mandible and Maxilla

Two ratings may be initially given from Table 11.4, one rating applicable to the loss of function of the mandible and one rating applicable to the loss of function of the maxilla. The ratings for the two individual areas are compared and the highest selected.

Each bullet (•) represents one criterion. In order for a rating to be established for either the mandible or the maxilla area for Table 11.4, only one criterion must be met at a level of impairment for that rating to be selected.

Table 11.4 - Loss of Function - Mandible and Maxilla

Rating	Criteria
Nil	Maxillaire
	<ul style="list-style-type: none"> • No difficulty with chewing and inter-incisal range unrestricted.
Four	Mandibule
	<ul style="list-style-type: none"> • No difficulty with chewing and inter-incisal range unrestricted.
	Maxillaire
	<ul style="list-style-type: none"> • Frequent to constant pain relieved by analgesics or other therapeutic measures; or • Permanent avoidance of some solid foods such as apples or corn due to symptoms may be necessary.
Nine	Mandibule
	<ul style="list-style-type: none"> • Frequent to constant pain relieved by analgesics or other therapeutic measures; or • Permanent avoidance of some solid foods such as apples or corn due to symptoms may be necessary.
	Maxillaire
	<ul style="list-style-type: none"> • Permanent soft diet required; or • Inter-incisal range reduced to 27 mm or less.
Thirteen	Mandibule
	<ul style="list-style-type: none"> • Permanent soft diet required; or • Inter-incisal range reduced to 27 mm or less.
	Maxillaire
	<ul style="list-style-type: none"> • Permanent purée or liquid diet; or • Inter-incisal range reduced to 20 mm or less.
Thirteen	Mandibule
	<ul style="list-style-type: none"> • Permanent purée or liquid diet; or • Inter-incisal range reduced to 20 mm or less.

Table 11.5 - Loss of Function - Disfigurement of the Mandible and Maxilla

Two ratings may be initially given from Table 11.5, one rating applicable to the loss of function of the mandible and one rating applicable to disfigurement of the mandible and one rating applicable to disfigurement of the maxilla. The ratings for the two individual areas are compared and the highest selected.

Each bullet (•) represents one criterion. In order for a rating to be established for either the mandible or the maxilla area for Table 11.5, all criteria designated at that rating level must be met.

Table 11.5 - Loss of Function - Disfigurement of the Mandible and Maxilla

Rating	Criteria
Nil	Maxilla
	• No disfigurement.
Four	Mandible
	• No disfigurement.
Nine	Maxilla
	• Mild disfigurement.
Nine	Mandible
	• Mild disfigurement.
Nine	Maxilla
	• Severe disfigurement.
Nine	Mandible
	• Severe disfigurement.

Steps to Determine the Dental and Oral Impairment Assessment

- Step 1: Determine the rating from [Table 11.1](#) (Loss of Function - Gingiva Conditions, Bruxism and Loss of Teeth).

The Medical impairment rating for entitled gingiva conditions, bruxism and loss of teeth is always NIL.

This is the Disability Assessment for for gingiva conditions, bruxism and loss of teeth.

- Step 2: Determine the rating from [Table 11.2](#) (Loss of Function - Temporomandibular Joint). Only one rating is applicable from [Table 11.2](#) regardless if the condition is unilateral or bilateral.
- Step 3: Does the Partially Contributing Table apply? If yes, apply to rating at Step 2.
- Step 4: Determine the rating from [Table 11.3](#) (Other Impairment - Temporomandibular Joint - Resting Joint Pain). Only one rating is applicable from [Table 11.3](#) regardless if the condition is unilateral or bilateral.
- Step 5: Add the ratings at Step 3 and Step 4.
- Step 6: Determine the Quality of Life rating.
- Step 7: Add the ratings at Step 5 and Step 6.
- Step 8: If partial entitlement exists, then apply to the rating at Step 7.

This is the Disability Assessment for temporomandibular joint conditions.

- Step 9: Determine the rating from [Table 11.4](#) (Loss of Function - Mandible and Maxilla). Only one rating is applicable from [Table 11.4](#) regardless if the condition is unilateral or bilateral. If more than one rating is applicable, the ratings are compared and the highest selected.
- Step 10: Determine the rating from [Table 11.5](#) (Loss of Function - Disfigurement of Mandible and Maxilla). Only one rating is applicable from [Table 11.4](#) regardless if the condition is unilateral or bilateral. If more than one rating is applicable, the ratings are compared and the highest selected.
- Step 11: Add the ratings at Step 9 and Step 10 if applicable.

- Step 12: Does the Partially Contributing Table apply? If yes, then apply to rating at Step 11.
- Step 13: Determine the Quality of Life rating.
- Step 14: Add the ratings at Step 12 and Step 13.
- Step 15: If partial entitlement exists, apply to rating at Step 14.

This is the Disability Assessment for mandible and maxilla conditions.

IN THE MEDIA

[IMPORTANT — Veterans Affairs Canada \(VAC\) in-person services](#)
[Le Canada ouvre des pourparlers sur le partage de renseignements avec le Japon](#)

[This dramatic upgrade to the M1 Abrams could help the tank soldier on until the 2050s](#)

[Des véhicules blindés canadiens arrivent en Haïti](#)
[embrance ceremony honours Indigenous soldier](#)



[The U.S. never successfully fielded an instant foxhole bomb, but Russia sure did](#)

[In London, defence research evolving to keep pace with battlefield](#)

[39 CER Newsletter — October 2022](#)

[Please join us for... The Walrus Talks at Home: Veteran Identities](#)

[The U.S. never successfully fielded an instant foxhole bomb, but Russia sure did](#)

STAY IN TOUCH WITH THESE CF NEWSPAPERS

Base/Wing — Newspaper

14 Wing Greenwood — [The Aurora](#)

22 Wing North Bay — [The Shield](#)

4 Wing Cold Lake — [The Courier](#)

CFB Esquimalt — [The Lookout](#)

CFSU Ottawa — [The Guard](#)

CFB Shilo — [The Shilo Stag](#)

19 Wing Comox — [The Totem Times](#)

17 Wing Winnipeg — [The Voxair](#)

CFB Halifax — [The Trident](#)

CFB Edmonton — [The Western Sentinel](#)

CFB Valcartier — [The Adsum](#)

CFB Kingston — [Garrison News](#)

CFB St Jean — [The Servir](#)

3 Wing Bagotville — [The Vortex](#)

8 Wing Trenton — [The Contact](#)

CFB Borden — [The Citizen](#)

CFB Petawawa — [The Petawawa Post](#)

Base Gagetown — [Gagetown Gazette](#)